## CERTIFICATION

I, TERRENCE D. McCRACKEN, the duly elected and qualified SECRETARY TO THE AUTHORITY to the ERIE COUNTY WATER AUTHORITY, a corporation existing under the Laws of the State of New York, do hereby certify that I have compared the annexed resolution which is an extract from the Minutes of the Meeting of the Authority held in the office, 295 Main Street, Room 350, Buffalo, New York, on the 20<sup>th</sup> day of September, 2018 a quorum being present and that said resolution is a true and correct copy of the resolution so adopted and of the whole thereof.

**IN WITNESS WHEREOF**, I have hereunto set my hand and the seal of said corporation this 24<sup>th</sup> day of September 2018.

Terrence D. McCracken Secretary to the Authority

(SEAL)

## EXTRACT FROM THE MINUTES OF THE MEETING OF THE ERIE COUNTY WATER AUTHORITY SEPTEMBER 20, 2018

At a regular meeting of the Erie County Water Authority held in the office, 295 Main

Street, Room 350, Buffalo, New York, on the 20th day of September 2018, a quorum being

present, the following resolution was adopted:

WHEREAS, Title 2, Chapter VI, Part 315 of The Codes, Rules and Regulations of New York State establishes criteria for reporting employee information to the New York State and Local Employees' Retirement System; and

WHEREAS, the Authority wishes to establish a Standard Work Day for Commissioner Schad and Commissioner Carney based on their completed Record of Activities; and

WHEREAS, the Authority also wishes to establish a Standard Work Day for all employees based on the standard number of hours required for the position in which service is rendered;

## NOW, THEREFORE, BE IT RESOLVED;

That the Authority file Standard Work Day Resolutions as outlined above (copies attached); and be it further

**RESOLVED:** That the Secretary is directed to complete the Resolutions and post the Standard Work Day and Reporting Resolution for Elected and Appointed Officials on the Authority's website as required for not less than 30 days and the Comptroller of the Authority is directed to amend the number of days reported for the current fiscal period of the New York State and Local Employees' Retirement System.

A motion was made by Mr. Jones seconded by Mr. Schad and carried to adopt the

foregoing resolution.



Office of the New York State Comptroller New York State and Local Retirement System Employees' Retirement System Police and Fire Retirement System 110 State Street, Albany, New York 12244-0001

## Standard Work Day and Reporting Resolution for Elected and Appointed Officials

RS 2417-A

Title	Standard Work Day (Hrs/day) Min. 6 hrs Max. 8 hrs	Name (First and Last)	Social Security Number (Last 4 digits)	Registration Number	Tier 1 (Check only if member is in Tier 1)		Current Term Begin & End Dates ( <i>mm/dd/yy- mm/dd/yy</i> )	Record of Activities Result*	Not Submittee (Check only if official did not submit their Record o Activities)
Elected Officials						1	I		
						]			
						]			
Appointed Officials							1. A. 18 4 A.	1. 1. 1. 1.	
ECWA Board Member	6 hrs	Jerome D. Schad	7031	50576768		_	04/28/16 - 04/27/19	11.6 days/mo.	
ECWA Board Member	6 hrs	Mark S. Carney	2095	62356985			04/28/18 - 04/27/21	10.3 days/mo.	
	etary or clerk) I have compared	Secretary clerk of the group of the group of the foregoing with the original clerk of such meeting	ginal resolution pas	sed by such bo	(Na ard at a	ame of Iega		ting held on the	State of New Yor 20th day of
IN WITNESS WHEREOF, I have hereunto set my hand and the seal of the Erie County Water Authority of September, 2018, (Name of Employer) (Signature of the secretary or cterk)									s 20th day
Affidavit of Posting:	I, Terrence D. M	cCracken , bo (Name of secretary or clerk)	eing duly sworn, dep	ooses and says	that the	post	ing of the		
Resolution began on	<u>G-20-18</u> (Date)	and continued for a	t least 30 days. That	t the Resolution	was av	ailabl	le to the public on	the	
Employer's websit	e at _ecwa.org/pdf/Stand	dardWorkDayReporting							
Official sign board at									(seal)
Main entrance sec	retary or clerk's of	fice at							

Page \_\_\_\_ of \_\_\_\_ (for additional rows, attach a RS2417-B form).